

junit.antlet

by Antlet Documentation

Description: Performs the unit tests using JUnit, and generates reports. This antwork needs a jar from the junit project. It is not downloaded automatically but its presence in the ANT_HOME/lib directory will be checked.

1. Main Targets

junit.test
<i>Description:</i> Perform junit tests.
<i>Comment:</i> = Adds the sysproperty elements in properties.xml to the properties. Compiles the source code and the junit test source code. Performs junit tests. Please note that this Antwork uses build.compiler.XXX properties that were set by the properties.xml of the java Antwork. =
junit.report
<i>Description:</i> Performs junit tests and generates reports
<i>Comment:</i> = Results can be found in \${junit-antlet:docs.dir} =
junit.clean
<i>Description:</i> Clean up for this antlet.
<i>Comment:</i> = Removes all directories that were built by this Antwork =

2. Helper Targets

3. Internal Targets

-junit.init
<i>Description:</i> Sets the properties for this antlet
<i>Comment:</i> ' Sets the properties for this antlet '

-junit.getjar
<i>Description:</i>
<i>Comment:</i>
-junit.setup
<i>Description:</i>
<i>Comment:</i> Initialise junit environment
-junit.fail-safe-test
<i>Description:</i>
<i>Comment:</i> Turn off halt-on-failure to perform junit tests without failing. Important to enable generating a report on the failed tests

4. Internal Properties

junit-antlet:build.dir
<i>Description:</i> \${project.build.dir}/junit
<i>Comment:</i>
junit-antlet:docs.dir
<i>Description:</i> \${forrest.antlet.ctx.dir}/content/junit
<i>Comment:</i>
junit-antlet:work.dir
<i>Description:</i> \${work.dir}/junit
<i>Comment:</i>
junit-antlet:junit.jar
<i>Description:</i> junit-3.8.1.jar
<i>Comment:</i>
junit-antlet:repository

junit.antlet

Description:<http://www.ibiblio.org/maven/junit/jars/>

Comment:

junit.test.haltonfailure

*Description:*yes

Comment:

testcase

Description:

*Comment:*Name of the testcase that will be performed. If omitted all testcases will be performed. You can set this property in (user-)properties.xml example:
`<testcase>test.CompanyTest</testcase>`

junit-antlet:test.transform.src

Description:`${junit-antlet:dir}/resources/dummy.xml`

Comment:

junit.test.haltonfailure

*Description:*no

Comment: