

makeantlet.antlet

by Antlet Documentation

Description:Make antlets.

1. Main Targets

| |
|--|
| antletdocs |
| <i>Description:</i> Generate antlet documents |
| <i>Comment:</i> |
| install-antlet |
| <i>Description:</i> Install the antlet in <code>\${antlets.dir}</code> |
| <i>Comment:</i> |

2. Helper Targets

| |
|---|
| antlet-prep-makeantlet |
| <i>Description:</i> |
| <i>Comment:</i> Sets some properties and makes the build dir. |
| make-antlet |
| <i>Description:</i> |
| <i>Comment:</i> |
| fetch-antlet-changes |
| <i>Description:</i> |
| <i>Comment:</i> |

| |
|------------------------|
| dist-antlet |
| <i>Description:</i> |
| <i>Comment:</i> |
| push-antlet |
| <i>Description:</i> |
| <i>Comment:</i> |
| base-antletdocs |
| <i>Description:</i> |
| <i>Comment:</i> |

3. Internal Targets

4. Internal Properties

| |
|--|
| antworks.home |
| <i>Description:</i> \${user.home}/.antworks |
| <i>Comment:</i> the default antlet install dir is \${user.home}/antworks/antlets |
| antlets.dir |
| <i>Description:</i> \${antworks.home}/antlets |
| <i>Comment:</i> |
| makeantlet.antlet.name |
| <i>Description:</i> \${project.name} |
| <i>Comment:</i> antlet name. This allows for overriding by the antlet itself |
| makeantlet.antlet.version |
| <i>Description:</i> \${project.version} |
| <i>Comment:</i> |

makeantlet.antlet

| |
|--|
| makeantlet.antlet.namedversion |
| <i>Description:</i> \${makeantlet.antlet.name}-\${makeantlet.antlet.version} |
| <i>Comment:</i> |
| makeantlet.antlet.build.dir |
| <i>Description:</i> \${build.dir}/\${project.name}/makeantlet |
| <i>Comment:</i> |
| makeantlet.antlet.src.dir |
| <i>Description:</i> \${basedir}/src |
| <i>Comment:</i> |
| makeantlet.antlet.namedbuild.dir |
| <i>Description:</i> \${makeantlet.antlet.build.dir}/\${makeantlet.antlet.name} |
| <i>Comment:</i> |
| xdocs.dir |
| <i>Description:</i> \${makeantlet.antlet.namedbuild.dir}/xdocs |
| <i>Comment:</i> |
| properties.xml.file |
| <i>Description:</i> \${makeantlet.antlet.dir}/resources/dummy.xml |
| <i>Comment:</i> |
| makeantlet.antlet.host |
| <i>Description:</i> shell.sf.net |
| <i>Comment:</i> |
| makeantlet.antlet.remote.dir |
| <i>Description:</i> /home/groups/a/an/antworks/htdocs/library/antlets |
| <i>Comment:</i> |

| |
|-----------------------------------|
| makeantlet.antlet.user |
| <i>Description:</i> \${user.name} |
| <i>Comment:</i> |