

pmd.antlet

by Antlet Documentation

Description: Runs a set of static code analysis rules on some Java source code files and generates a list of problems found.

1. Main Targets

pmd.xml
<i>Description:</i> Runs PMD and makes report.
<i>Comment:</i> processes the input xml to add the dir info where there is a pmd tag

2. Helper Targets

pmd.report
<i>Description:</i>
<i>Comment:</i>

3. Internal Targets

-pmd.init
<i>Description:</i>
<i>Comment:</i> Verbose output - names of files processed, rule counts, etc.

-pmd.filled
<i>Description:</i> Creates the xdoc pmd report.
<i>Comment:</i>

-pmd.empty

<i>Description:</i> Creates the empty xdoc pmd report.
<i>Comment:</i>

4. Internal Properties

pmd.antlet.build.dir
<i>Description:</i> <code>\${project.build.dir}/pmd</code>
<i>Comment:</i>

pmd.repository
<i>Description:</i> http://www.ibiblio.org/maven/pmd/jars/
<i>Comment:</i>

pmd.jar
<i>Description:</i> pmd-1.3.jar
<i>Comment:</i>

jaxen.repository
<i>Description:</i> http://www.ibiblio.org/maven/jaxen/jars/
<i>Comment:</i>

jaxen.jar
<i>Description:</i> jaxen-1.0-FCS-full.jar
<i>Comment:</i>

saxpath.repository
<i>Description:</i> http://www.ibiblio.org/maven/saxpath/jars/
<i>Comment:</i>

saxpath.jar
<i>Description:</i> saxpath-1.0-FCS.jar

pmd.antlet

<i>Comment:</i>

pmd.antlet.xdocs.dir

<i>Description:</i> \${forrest.antlet.ctx.dir}/content/xdocs/reports
--

<i>Comment:</i>
